



## Pop Sells

5717 Bessie Drive  
Sarasota, Florida 34233



**Contact Team Jones (Dana & Jesseca)**  
(405) 470-3344  
teamjones@popsells.com

# 2018 Glastron GT 205

Stock # 445652



## \$33,350

<b>Year</b>	2018
<b>Type</b>	Powerboat
<b>Brand</b>	Glastron
<b>Category</b>	Bowriders
<b>Model</b>	GT 205
<b>Length (LOA)</b>	20' 6"
<b>Hours</b>	180
<b>Location</b>	Wynnewood, Oklahoma
<b>Closest Major City</b>	Norman, OK
<b>Storage Status</b>	Not currently in storage

## 2018 GLASTRON GT 205, 240HP VOLVO, TRAILER INCLUDED AND READY TO HIT THE WATER!!!

The 2018 Glastron GT 205 is a stylish and practical boat that combines performance and comfort. At 20.6 feet long, it's perfect for fun days on the lake, water sports, and family outings.

The boat has a modern, eye-catching design, clean lines, and a vibrant red color. Its sturdy fiberglass hull provides a smooth and stable ride and makes it easy to handle on the water.

Inside, the cockpit is well-organized and functional. The helm features clear gauges and controls that are easy to reach, making it simple for the captain to navigate. The captain's chair is comfortable and adjustable, great for cruising and steering i...

Read the entire description on the website by scanning the QR code below.



Information generated on Apr 20, 2025 9:58 AM  
Please view this listing online for up-to-date information:  
<https://www.popsells.com/view/445652>



**Pop Sells**  
5717 Bessie Drive  
Sarasota, Florida 34233



**Contact Team Jones (Dana & Jesseca)**  
(405) 470-3344  
teamjones@popsells.com

# 2018 Glastron GT 205

Stock # 445652

## Details and Specifications

### Engine & Mechanical

# of Engines	1	Engine Year	2018	Engine Brand	Volvo Penta
Engine Model	V6-240	Engine Hours	180	Engine Size	240 hp
Fuel Type	Gasoline	Fuel Capacity	32 gals	Drive Brand	Volvo Penta
Drive Type	Stern Drive	Configuration	Inboard/Outboard		

### Dimensions & Specifications

Length (LOA)	20' 6"	Beam	8'	Minimum Draft	1' 6"
Maximum Draft	2' 11"	Dry Weight	2,000 lbs	Bridge Clearance	6' 11"

### Trailer Details

Included	Yes	Trailer Year	2018	Trailer Brand	EZ LOADER
# Axles	2	Breakaway Hitch	No		



Information generated on Apr 20, 2025 9:58 AM  
Please view this listing online for up-to-date information:  
<https://www.popsells.com/view/445652>



**Pop Sells**  
5717 Bessie Drive  
Sarasota, Florida 34233



**Contact Team Jones (Dana & Jesseca)**  
(405) 470-3344  
teamjones@popsells.com

# 2018 Glastron GT 205

Stock # 445652

## Accommodations & Passengers

<b>Passenger Capacity</b>	9	<b>Has Generator</b>	No	<b>Has Air Conditioning</b>	No
---------------------------	---	----------------------	----	-----------------------------	----

## Construction Features

<b>Hull Material</b>	Fiberglass	<b>Hull Shape</b>	Deep Vee	<b>Exterior Color</b>	White W/ Crimson Red
----------------------	------------	-------------------	----------	-----------------------	----------------------




Information generated on Apr 20, 2025 9:58 AM  
Please view this listing online for up-to-date information:  
<https://www.popsells.com/view/445652>



# 2018 Glastron GT 205

Stock # 445652



GT205		GT205	
GT205		GT205	
Engine	2.0L	2.0L	2.0L
Power (hp/kw)	150/110	150/110	150/110
0-60 (sec)	10.0	10.0	10.0
Top speed (mph)	140	140	140
Transmission	5-speed manual	5-speed manual	5-speed manual
Drivetrain	FWD	FWD	FWD
Weight (lb)	2,800	2,800	2,800
Price (msrp)	\$14,999	\$14,999	\$14,999
Options	None	None	None
Notes	None	None	None
Engine	2.0L	2.0L	2.0L
Power (hp/kw)	150/110	150/110	150/110
0-60 (sec)	10.0	10.0	10.0
Top speed (mph)	140	140	140
Transmission	5-speed manual	5-speed manual	5-speed manual
Drivetrain	FWD	FWD	FWD
Weight (lb)	2,800	2,800	2,800
Price (msrp)	\$14,999	\$14,999	\$14,999
Options	None	None	None
Notes	None	None	None

SE 1.00 - 10000			
SE 1.00 - 10000	SE 1.00 - 10000	SE 1.00 - 10000	SE 1.00 - 10000
1.00-1.00	1	1	1
1.00-1.01	1	1	1
1.00-1.02	1	1	1
1.00-1.03	1	1	1
1.00-1.04	1	1	1
1.00-1.05	1	1	1
1.00-1.06	1	1	1
1.00-1.07	1	1	1
1.00-1.08	1	1	1
1.00-1.09	1	1	1
1.00-1.10	1	1	1
1.00-1.11	1	1	1
1.00-1.12	1	1	1
1.00-1.13	1	1	1
1.00-1.14	1	1	1
1.00-1.15	1	1	1
1.00-1.16	1	1	1
1.00-1.17	1	1	1
1.00-1.18	1	1	1
1.00-1.19	1	1	1
1.00-1.20	1	1	1
1.00-1.21	1	1	1
1.00-1.22	1	1	1
1.00-1.23	1	1	1
1.00-1.24	1	1	1
1.00-1.25	1	1	1
1.00-1.26	1	1	1
1.00-1.27	1	1	1
1.00-1.28	1	1	1
1.00-1.29	1	1	1
1.00-1.30	1	1	1
1.00-1.31	1	1	1
1.00-1.32	1	1	1
1.00-1.33	1	1	1
1.00-1.34	1	1	1
1.00-1.35	1	1	1
1.00-1.36	1	1	1
1.00-1.37	1	1	1
1.00-1.38	1	1	1
1.00-1.39	1	1	1
1.00-1.40	1	1	1
1.00-1.41	1	1	1
1.00-1.42	1	1	1
1.00-1.43	1	1	1
1.00-1.44	1	1	1
1.00-1.45	1	1	1
1.00-1.46	1	1	1
1.00-1.47	1	1	1
1.00-1.48	1	1	1
1.00-1.49	1	1	1
1.00-1.50	1	1	1
1.00-1.51	1	1	1
1.00-1.52	1	1	1
1.00-1.53	1	1	1
1.00-1.54	1	1	1
1.00-1.55	1	1	1
1.00-1.56	1	1	1
1.00-1.57	1	1	1
1.00-1.58	1	1	1
1.00-1.59	1	1	1
1.00-1.60	1	1	1
1.00-1.61	1	1	1
1.00-1.62	1	1	1
1.00-1.63	1	1	1
1.00-1.64	1	1	1
1.00-1.65	1	1	1
1.00-1.66	1	1	1
1.00-1.67	1	1	1
1.00-1.68	1	1	1
1.00-1.69	1	1	1
1.00-1.70	1	1	1
1.00-1.71	1	1	1
1.00-1.72	1	1	1
1.00-1.73	1	1	1
1.00-1.74	1	1	1
1.00-1.75	1	1	1
1.00-1.76	1	1	1
1.00-1.77	1	1	1
1.00-1.78	1	1	1
1.00-1.79	1	1	1
1.00-1.80	1	1	1
1.00-1.81	1	1	1
1.00-1.82	1	1	1
1.00-1.83	1	1	1
1.00-1.84	1	1	1
1.00-1.85	1	1	1
1.00-1.86	1	1	1
1.00-1.87	1	1	1
1.00-1.88	1	1	1
1.00-1.89	1	1	1
1.00-1.90	1	1	1
1.00-1.91	1	1	1
1.00-1.92	1	1	1
1.00-1.93	1	1	1
1.00-1.94	1	1	1
1.00-1.95	1	1	1
1.00-1.96	1	1	1
1.00-1.97	1	1	1
1.00-1.98	1	1	1
1.00-1.99	1	1	1
1.00-2.00	1	1	1
1.00-2.01	1	1	1
1.00-2.02	1	1	1
1.00-2.03	1	1	1
1.00-2.04	1	1	1
1.00-2.05	1	1	1
1.00-2.06	1	1	1
1.00-2.07	1	1	1
1.00-2.08	1	1	1
1.00-2.09	1	1	1
1.00-2.10	1	1	1
1.00-2.11	1	1	1
1.00-2.12	1	1	1
1.00-2.13	1	1	1
1.00-2.14	1	1	1
1.00-2.15	1	1	1
1.00-2.16	1	1	1
1.00-2.17	1	1	1
1.00-2.18	1	1	1
1.00-2.19	1	1	1
1.00-2.20	1	1	1
1.00-2.21	1	1	1
1.00-2.22	1	1	1
1.00-2.23	1	1	1
1.00-2.24	1	1	1
1.00-2.25	1	1	1
1.00-2.26	1	1	1
1.00-2.27	1	1	1
1.00-2.28	1	1	1
1.00-2.29	1	1	1
1.00-2.30	1	1	1
1.00-2.31	1	1	1
1.00-2.32	1	1	1
1.00-2.33	1	1	1
1.00-2.34	1	1	1
1.00-2.35	1	1	1
1.00-2.36	1	1	1
1.00-2.37	1	1	1
1.00-2.38	1	1	1
1.00-2.39	1	1	1
1.00-2.40	1	1	1
1.00-2.41	1	1	1
1.00-2.42	1	1	1
1.00-2.43	1	1	1
1.00-2.44	1	1	1
1.00-2.45	1	1	1
1.00-2.46	1	1	1
1.00-2.47	1	1	1
1.00-2.48	1	1	1
1.00-2.49	1	1	1
1.00-2.50	1	1	1
1.00-2.51	1	1	1
1.00-2.52	1	1	1
1.00-2.53	1	1	1
1.00-2.54	1	1	1
1.00-2.55	1	1	1
1.00-2.56	1	1	1
1.00-2.57	1	1	1
1.00-2.58	1	1	1
1.00-2.59	1	1	1
1.00-2.60	1	1	1
1.00-2.61	1	1	1
1.00-2.62	1	1	1
1.00-2.63	1	1	1
1.00-2.64	1	1	1
1.00-2.65	1	1	1
1.00-2.66	1	1	1
1.00-2.67	1	1	1
1.00-2.68	1	1	1
1.00-2.69	1	1	1
1.00-2.70	1	1	1
1.00-2.71	1	1	1
1.00-2.72	1	1	1
1.00-2.73	1	1	1
1.00-2.74	1	1	1
1.00-2.75	1	1	1
1.00-2.76	1	1	1
1.00-2.77	1	1	1
1.00-2.78	1	1	1
1.00-2.79	1	1	1
1.00-2.80	1	1	1
1.00-2.81	1	1	1
1.00-2.82	1	1	1
1.00-2.83	1	1	1
1.00-2.84	1	1	1
1.00-2.85	1	1	1
1.00-2.86	1	1	1
1.00-2.87	1	1	1
1.00-2.88	1	1	1
1.00-2.89	1	1	1
1.00-2.90	1	1	1
1.00-2.91	1	1	1
1.00-2.92	1	1	1
1.00-2.93	1	1	1
1.00-2.94	1	1	1
1.00-2.95	1	1	1
1.00-2.96	1	1	1
1.00-2.97	1	1	1
1.00-2.98	1	1	1
1.00-2.99	1	1	1
1.00-3.00	1	1	1
1.00-3.01	1	1	1
1.00-3.02	1	1	1
1.00-3.03	1	1	1
1.00-3.04	1	1	1
1.00-3.05	1	1	1
1.00-3.06	1	1	1
1.00-3.07	1	1	1
1.00-3.08	1	1	1
1.00-3.09	1	1	1
1.00-3.10	1	1	1
1.00-3.11	1	1	1
1.00-3.12	1	1	1
1.00-3.13	1	1	1
1.00-3.14	1	1	1
1.00-3.15	1	1	1
1.00-3.16	1	1	1
1.00-3.17	1	1	1
1.00-3.18	1	1	1
1.00-3.19	1	1	1
1.00-3.20	1	1	1
1.00-3.21	1	1	1
1.00-3.22	1	1	1
1.00-3.23	1	1	1
1.00-3.24	1	1	1
1.00-3.25	1	1	1
1.00-3.26	1	1	1
1.00-3.27	1	1	1
1.00-3.28	1	1	1
1.00-3.29	1	1	1
1.00-3.30	1	1	1
1.00-3.31	1	1	1
1.00-3.32	1	1	1
1.00-3.33	1	1	1
1.00-3.34	1	1	1
1.00-3.35	1	1	1
1.00-3.36	1	1	1
1.00-3.37	1	1	1
1.00-3.38	1	1	1
1.00-3.39	1	1	1
1.00-3.40	1	1	1
1.00-3.41	1	1	1
1.00-3.42	1	1	1
1.00-3.43	1	1	1
1.00-3.44	1	1	1
1.00-3.45	1	1	1
1.00-3.46	1	1	1
1.00-3.47	1	1	1
1.00-3.48	1	1	1
1.00-3.49	1	1	1
1.00-3.50	1	1	1
1.00-3.51	1	1	1
1.00-3.52	1	1	1
1.00-3.53	1	1	1
1.00-3.54	1	1	1
1.00-3.55	1	1	1
1.00-3.56	1	1	1
1.00-3.57	1	1	1
1.00-3.58	1	1	1
1.00-3.59	1	1	1
1.00-3.60	1	1	1
1.00-3.61	1	1	1
1.00-3.62	1	1	1
1.00-3.63	1	1	1
1.00-3.64	1	1	1
1.00-3.65	1	1	1
1.00-3.66	1	1	1
1.00-3.67	1	1	1
1.00-3.68	1	1	1
1.00-3.69	1	1	1
1.00-3.70	1	1	1
1.00-3.71	1	1	1
1.00-3.72	1	1	1
1.00-3.73	1	1	1
1.00-3.74	1	1	1
1.00-3.75	1	1	1
1.00-3.76	1	1	1
1.00-3.77	1	1	1
1.00-3.78	1	1	1
1.00-3.79	1	1	1
1.00-3.80	1	1	1
1.00-3.81	1	1	1
1.00-3.82	1	1	1
1.00-3.83	1	1	1
1.00-3.84	1	1	1
1.00-3.85	1	1	1
1.00-3.86	1	1	1
1.00-3.87	1	1	1
1.00-3.88	1	1	1
1.00-3.89	1	1	1
1.00-3.90	1	1	1
1.00-3.91	1	1	1
1.00-3.92	1	1	1
1.00-3.93	1	1	1
1.00-3.94	1	1	1
1.00-3.95	1	1	1
1.00-3.96	1	1	1
1.00-3.97	1	1	1
1.00-3.98	1	1	1
1.00-3.99	1	1	1
1.00-4.00	1	1	1
1.00-4.01	1	1	1
1.00-4.02	1	1	1
1.00-4.03	1	1	1
1.00-4.04	1	1	1
1.00-4.05	1	1	1
1.00-4.06	1	1	1
1.00-4.07	1	1	1
1.00-4.08	1	1	1
1.00-4.09	1	1	1
1.00-4.10	1	1	1
1.00-4.11	1	1	1
1.00-4.12	1	1	1
1.00-4.13	1	1	1
1.00-4.14	1	1	1
1.00-4.15	1	1	1
1.00-4.16	1	1	1
1.00-4.17	1	1	1
1.00-4.18	1	1	1
1.00-4.19	1	1	1
1.00-4.20	1	1	1
1.00-4.21	1	1	1
1.00-4.22	1	1	1
1.00-4.23	1	1	1
1.00-4.24	1	1	1
1.00-4.25	1	1	1
1.00-4.26	1	1	1
1.00-4.27	1	1	1
1.00-4.28	1	1	1
1.00-4.29	1	1	1
1.00-4.30	1	1	1
1.00-4.31	1	1	1
1.00-4.32	1	1	1
1.00-4.33	1	1	1
1.00-4.34	1	1	1
1.00-4.35	1	1	1
1.00-4.36	1	1	1
1.00-4.37	1	1	1
1.00-4.38	1	1	1
1.00-4.39	1	1	1
1.00-4.40	1	1	1
1			

ST700			
ST 60 (10/20/02)			
Year	Year Group	ST 60	ST 700
1999	19	10.1	1.0
2000	19	10.1	1.0
2001	19	10.1	1.0
2002	19	10.1	1.0
2003	19	10.1	1.0
2004	19	10.1	1.0
2005	19	10.1	1.0
2006	19	10.1	1.0
2007	19	10.1	1.0
2008	19	10.1	1.0
2009	19	10.1	1.0
2010	19	10.1	1.0
2011	19	10.1	1.0
2012	19	10.1	1.0
2013	19	10.1	1.0
2014	19	10.1	1.0
2015	19	10.1	1.0
2016	19	10.1	1.0
2017	19	10.1	1.0
2018	19	10.1	1.0
2019	19	10.1	1.0
2020	19	10.1	1.0
2021	19	10.1	1.0
2022	19	10.1	1.0
2023	19	10.1	1.0
2024	19	10.1	1.0
2025	19	10.1	1.0
2026	19	10.1	1.0
2027	19	10.1	1.0
2028	19	10.1	1.0
2029	19	10.1	1.0
2030	19	10.1	1.0
2031	19	10.1	1.0
2032	19	10.1	1.0
2033	19	10.1	1.0
2034	19	10.1	1.0
2035	19	10.1	1.0
2036	19	10.1	1.0
2037	19	10.1	1.0
2038	19	10.1	1.0
2039	19	10.1	1.0
2040	19	10.1	1.0
2041	19	10.1	1.0
2042	19	10.1	1.0
2043	19	10.1	1.0
2044	19	10.1	1.0
2045	19	10.1	1.0
2046	19	10.1	1.0
2047	19	10.1	1.0
2048	19	10.1	1.0
2049	19	10.1	1.0
2050	19	10.1	1.0
2051	19	10.1	1.0
2052	19	10.1	1.0
2053	19	10.1	1.0
2054	19	10.1	1.0
2055	19	10.1	1.0
2056	19	10.1	1.0
2057	19	10.1	1.0
2058	19	10.1	1.0
2059	19	10.1	1.0
2060	19	10.1	1.0
2061	19	10.1	1.0
2062	19	10.1	1.0
2063	19	10.1	1.0
2064	19	10.1	1.0
2065	19	10.1	1.0
2066	19	10.1	1.0
2067	19	10.1	1.0
2068	19	10.1	1.0
2069	19	10.1	1.0
2070	19	10.1	1.0
2071	19	10.1	1.0
2072	19	10.1	1.0
2073	19	10.1	1.0
2074	19	10.1	1.0
2075	19	10.1	1.0
2076	19	10.1	1.0
2077	19	10.1	1.0
2078	19	10.1	1.0
2079	19	10.1	1.0
2080	19	10.1	1.0
2081	19	10.1	1.0
2082	19	10.1	1.0
2083	19	10.1	1.0
2084	19	10.1	1.0
2085	19	10.1	1.0
2086	19	10.1	1.0
2087	19	10.1	1.0
2088	19	10.1	1.0
2089	19	10.1	1.0
2090	19	10.1	1.0
2091	19	10.1	1.0
2092	19	10.1	1.0
2093	19	10.1	1.0
2094	19	10.1	1.0
2095	19	10.1	1.0
2096	19	10.1	1.0
2097	19	10.1	1.0
2098	19	10.1	1.0
2099	19	10.1	1.0
2100	19	10.1	1.0

[illegible]

**Scan the QR code or click the link in the footer to view more photos.**

This information was provided to Pop Sells, LLC by the Seller and is believed to be accurate at the time of publication. We recommend an inspection by a qualified professional to ascertain the overall condition and function of structure and mechanical components.



Information generated on Apr 20, 2025 9:58 AM

Please view this listing online for up-to-date information:

<https://www.popsells.com/view/445652>